

[illegible][illegible]

```
DDDDDDDD      IIIIII      SSSSSSSS  MM      MM      000000  UU      UU      NN      NN      TTTTTTTTTT
DDDDDDDD      IIIIII      SSSSSSSS  MM      MM      000000  UU      UU      NN      NN      TTTTTTTTTT
DD      DD      II      SS      MMMM  MMMM  00      00  UU      UU      NN      NN      TT
DD      DD      II      SS      MMMM  MMMM  00      00  UU      UU      NN      NN      TT
DD      DD      II      SS      MM      MM      00      00  UU      UU      NNNN      NN      TT
DD      DD      II      SS      MM      MM      00      00  UU      UU      NNNN      NN      TT
DD      DD      II      SSSSSS  MM      MM      00      00  UU      UU      NN      NN      TT
DD      DD      II      SSSSSS  MM      MM      00      00  UU      UU      NN      NN      TT
DD      DD      II      SS      MM      MM      00      00  UU      UU      NN      NN      TT
DD      DD      II      SS      MM      MM      00      00  UU      UU      NN      NN      TT
DD      DD      II      SS      MM      MM      00      00  UU      UU      NN      NN      TT
DD      DD      II      SS      MM      MM      00      00  UU      UU      NN      NN      TT
DDDDDDDD      IIIIII      SSSSSSSS  MM      MM      000000  UUUUUUUUUU  NN      NN      TT
DDDDDDDD      IIIIII      SSSSSSSS  MM      MM      000000  UUUUUUUUUU  NN      NN      TT
```

```
MM      MM      AAAAAA  PPPPPPPP
MM      MM      AAAAAA  PPPPPPPP
MMMM  MMMM  AA      AA  PP      PP
MMMM  MMMM  AA      AA  PP      PP
MM      MM      AA      AA  PP      PP
MM      MM      AA      AA  PPPPPPPP
MM      MM      AA      AA  PPPPPPPP
MM      MM      AAAAAAAAAA  PP
MM      MM      AAAAAAAAAA  PP
MM      MM      AA      AA  PP
MM      MM      AA      AA  PP
MM      MM      AA      AA  PP
MM      MM      AA      AA  PP
```

```

+-----+
! Object Module Synopsis !
+-----+

```

Module Name	Ident	Bytes	File	Creation Date	Creator
DISPAR	V04-000	211	[DISMOU.OBJ]DISMOUNT.OLB;1	15-Sep-1984 23:41	VAX-11 Bliss-32 V4.0-742
CLIS\$INTERFACE	V04-000	516	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 00:32	VAX-11 Bliss-32 V4.0-742
CLIS\$GLOBALS	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:38	VAX/VMS Macro V04-00
LIB\$VM	2-046	676	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 01:20	VAX-11 Bliss-32 V4.0-742
LIB\$MSGDEF	2-018	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:43	VAX-11 Message V04-00
STR\$ANALYZE_SDESC	1-004	97	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:34	VAX/VMS Macro V04-00
STR\$COPY	1-015	672	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 01:35	VAX-11 Bliss-32 V4.0-742
STR\$MSGDEF	2-005	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:44	VAX-11 Message V04-00
SYSP1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIB\$SIGNAL	1-018	220	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00
STR\$ALLOC	1-012	498	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 01:26	VAX-11 Bliss-32 V4.0-742
STR\$MOVQ	1-003	4	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:35	VAX/VMS Macro V04-00
SYSP1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
DISMNT\$HR	V04-000	0	-\$255\$DUA28:[SYSLIB]DISMNT\$HR.EXE;1	16-SEP-1984 04:13	VAX-11 Linker V04-00

: Image Section Synopsis :

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	1	00000200	2	0	READ ONLY				
	0	1	00000400	0	0	READ WRITE DEMAND ZERO				
	0	5	00000600	3	0	READ ONLY				
	0	1	00001000	8	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				
DISMNTSHR	4	1	P-00000000-R	0	0	READ ONLY	DISMNTSHR_001	LESS/EQUAL	1	1
	4	1	P-00000200-R	0	0	READ ONLY	DISMNTSHR_002	LESS/EQUAL	1	1
	2	1	P-00000400-R	0	0	READ WRITE COPY ON REF	DISMNTSHR_003	LESS/EQUAL	1	1
	3	5	P-00000600-R	0	0	READ ONLY	DISMNTSHR_004	LESS/EQUAL	1	1
	2	1	P-00001000-R	0	0	READ WRITE FIXUP VECTORS	DISMNTSHR_005	LESS/EQUAL	1	1

Key for special characters above:

: R - Relocatable :
: P - Protected :

! Program Section Synopsis !

Psect Name	Module Name	Base	End	Length	Align	Attributes
\$PLITS	DISPAR	00000200 00000200	0000024B 0000024B	0000004C () 0000004C ()	76.) LONG 2 76.) LONG 2	NOPICT,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
_LIB\$DATA	LIB\$VM	00000400 00000400	0000043F 0000043F	00000040 () 00000040 ()	64.) LONG 2 64.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
_STR\$DATA	STR\$ANALYZE_SDESC	00000440	0000053B	000000FC ()	252.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
	STR\$\$ALLOC	00000440 00000440	00000440 0000053B	00000000 () 000000FC ()	0.) LONG 2 252.) LONG 2	
\$CODE\$	DISPAR	00000600 00000600	0000088B 00000686	0000028C () 00000087 ()	652.) LONG 2 135.) LONG 2	NOPICT,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
	CLISINTERFACE	00000688	0000088B	00000204 ()	516.) LONG 2	
_LIB\$CODE	LIB\$VM	0000088C 0000088C	00000BCB 00000AEF	00000340 () 00000264 ()	832.) LONG 2 612.) LONG 2	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
	LIB\$SIGNAL	00000AF0	00000BCB	000000DC ()	220.) LONG 2	
_STR\$CODE	STR\$ANALYZE_SDESC	00000BCC	00000FCB	00000400 ()	1024.) LONG 2	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
	STR\$COPY	00000BCC 00000C30	00000C2C 00000ECF	00000061 () 000002A0 ()	97.) LONG 2 672.) LONG 2	
	STR\$\$ALLOC	00000ED0	00000FC5	000000F6 ()	246.) LONG 2	
	STR\$\$MOVQ	00000FCB	00000FCB	00000004 ()	4.) LONG 2	

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
CLISDCL_PARSE	00000757-R	CLISINTERFACE	
CLISDISPATCH	00000808-R	CLISINTERFACE	
CLISGET_VALUE	000006CB-R	CLISINTERFACE	DISPAR
CLISNEXT_QUAL	00000849-R	CLISINTERFACE	
CLISPRESENT	00000688-R	CLISINTERFACE	DISPAR
CLIS_ABSENT	000381F0	CLISGLOBALS	CLISINTERFACE
CLIS_COMMA	0003FD39	CLISGLOBALS	CLISINTERFACE
CLIS_CONCAT	0003FD29	CLISGLOBALS	CLISINTERFACE
CLIS_DEFAULTED	0003FD21	CLISGLOBALS	CLISINTERFACE
CLIS_LOCNEG	00038230	CLISGLOBALS	CLISINTERFACE
CLIS_LOCPRES	0003FD31	CLISGLOBALS	CLISINTERFACE
CLIS_NEGATED	000381F8	CLISGLOBALS	CLISINTERFACE
CLIS_NOCMD	000380B0	CLISGLOBALS	CLISINTERFACE
CLIS_PRESENT	0003FD19	CLISGLOBALS	CLISINTERFACE
DISMOUNT_PARSE	00000600-R	DISPAR	DISPAR
LIB\$SGL_FREVM_C	00000438-R	LIB\$VM	
LIB\$SGL_GETVM_C	00000434-R	LIB\$VM	
LIB\$SGL_VMINUSE	0000043C-R	LIB\$VM	
LIB\$FREE_VM	00000A16-R	LIB\$VM	CLISINTERFACE
LIB\$GET_VM	0000088C-R	LIB\$VM	CLISINTERFACE
LIB\$SIGNAL	00000AF6-R	LIB\$SIGNAL	STR\$COPY
LIB\$STOP	00000AF0-R	LIB\$SIGNAL	STR\$SALLOC
LIB\$_BADBLOADR	00158264	LIB\$MSGDEF	STR\$COPY
LIB\$_BADBLOSIZ	0015826C	LIB\$MSGDEF	STR\$COPY
LIB\$_FATERRLIB	0015820C	LIB\$MSGDEF	STR\$COPY
LIB\$_INSVIRMEM	00158214	LIB\$MSGDEF	STR\$COPY
STR\$SALLOC_SHORT	00000F21-R	STR\$SALLOC	STR\$COPY
STR\$SINIT	00000ED0-R	STR\$SALLOC	STR\$COPY
STR\$SMOVQ_R1	00000FC8-R	STR\$SMOVQ	STR\$COPY
STR\$SQ_SHORT_Q	00000444-R	STR\$SALLOC	STR\$COPY
STR\$SV_INIT	00000440-R	STR\$SALLOC	STR\$COPY
STR\$ANALYZE_SDESC	00000BCC-R	STR\$ANALYZE_SDESC	CLISINTERFACE
STR\$ANALYZE_SDESC_R1	00000BE1-R	STR\$ANALYZE_SDESC	STR\$COPY
STR\$COPY_DX	00000C30-R	STR\$COPY	CLISINTERFACE
STR\$COPY_DX_R8	00000C4C-R	STR\$COPY	
STR\$COPY_R	00000C3A-R	STR\$COPY	
STR\$COPY_R_R8	00000C98-R	STR\$COPY	
STR\$_FATINTERR	00248044	STR\$MSGDEF	STR\$COPY
STR\$_ILLSTRCLA	00248054	STR\$MSGDEF	STR\$ANALYZE_SDESC
STR\$_INSVIRMEM	0024806C	STR\$MSGDEF	STR\$SALLOC
STR\$_NORMAL	00000001	STR\$MSGDEF	STR\$SALLOC
STR\$_TRU	00248200	STR\$MSGDEF	STR\$COPY
SY\$CLI	7FFEDE18	SY\$P1_VECTOR	CLISINTERFACE
SY\$DISMOU	00001048-RX	DISMNT\$HR	DISPAR
SY\$EXIT	7FFEDF40	SY\$P1_VECTOR	DISPAR
SY\$EXPREG	7FFEDF48	SY\$P1_VECTOR	LIB\$VM
SY\$SETAST	7FFEDFF8	SY\$P1_VECTOR	LIB\$VM
SY\$SRCHANDLER	7FFEE118	SY\$P1_VECTOR	LIB\$SIGNAL


```

+-----+
! Symbols By Value !
+-----+

```

Value	Symbols...
00000001	STR\$ NORMAL
00000434	R-LIB\$SGL_GETVM_C
00000438	R-LIB\$SGL_FREVM_C
0000043C	R-LIB\$SGL_VMINUSE
00000440	R-STR\$SV_INIT
00000444	R-STR\$SQ_SHORT_Q
00000600	R-DISMOUNT_PARSE
00000688	R-CLISPRESENT
000006CB	R-CLISGET_VALUE
00000757	R-CLISDCL_PARSE
00000808	R-CLISDISPATCH
00000849	R-CLISNEXT_QUAL
0000088C	R-LIB\$GET_VM
00000A16	R-LIB\$FREE_VM
00000AF0	R-LIB\$STOP
00000AF6	R-LIB\$SIGNAL
00000BCC	R-STR\$ANALYZE_SDESC
00000BE1	R-STR\$ANALYZE_SDESC_R1
00000C30	R-STR\$COPY_DX
00000C3A	R-STR\$COPY_R
00000C4C	R-STR\$COPY_DX_R8
00000C98	R-STR\$COPY_R_R8
00000ED0	R-STR\$INIT
00000F21	R-STR\$SALLOC_SHORT
00000FC8	R-STR\$SMOVQ_R1
00001048	RX-SYSSDISMOU
00038080	CLIS_NOCMD
000381F0	CLIS_ABSENT
000381F8	CLIS_NEGATED
00038230	CLIS_LOCNEG
0003FD19	CLIS_PRESENT
0003FD21	CLIS_DEFAULTED
0003FD29	CLIS_CONCAT
0003FD31	CLIS_LOCPRES
0003FD39	CLIS_COMMA
0015820C	LIB\$FATERRLIB
00158214	LIB\$INSVIRMEM
00158264	LIB\$BADBLOADR
0015826C	LIB\$BADBLOSIZ
00248044	STR\$FATINTERR
00248054	STR\$ILLSTRCLA
0024806C	STR\$INSVIRMEM
00248200	STR\$TRU
7FFEDE18	SYSSCLI
7FFEDF40	SYSEXIT
7FFEDF48	SYSEXPREG
7FFEDFF8	SYSSSETACT
7FFEE118	SYSSSRCHANDLER

Value

Symbols...

Key for special characters above:

*	- Undefined
U	- Universal
R	- Relocatable
X	- External

! Image Synopsis !

Virtual memory allocated: 00000200 000011FF 00001000 (4096. bytes, 8. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (7. blocks)
Image name and identification: DISMOUNT V04-000
Number of files: 5.
Number of modules: 14.
Number of program sections: 10.
Number of global symbols: 48.
Number of cross references: 105.
Number of image sections: 10.
User transfer address: 00000600
Number of code references to shareable images: 1.
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[DISMOU.LIS]DISMOUNT.MAP;1
Estimated map length: 41. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	108	00:00:00.19	00:00:00.89
Pass 1:	112	00:00:01.31	00:00:13.61
Allocation/Relocation:	28	00:00:00.19	00:00:00.82
Pass 2:	42	00:00:00.61	00:00:05.96
Map data after object module synopsis:	20	00:00:00.50	00:00:00.63
Symbol table output:	2	00:00:00.02	00:00:00.59
Total run values:	312	00:00:02.82	00:00:22.50

Using a working set limited to 1050 pages and 40 pages of data storage (excluding image)

Total number object records read (both passes): 391
of which 195 were in libraries and 4 were DEBUG data records containing 153 bytes

Number of modules extracted explicitly = 1
with 12 extracted to resolve undefined symbols

7 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE:EXE\$:DISMOUNT/MAP:MAP\$:DISMOUNT/FULL/CROSS/NOTRACE LIB\$:DISMOUNT/INCLUDE:(DISPAR)

0104 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

DISMOUNT
MAP

DISKJOTA
LIS

DISMOU

DISKQ

DISMNTSHR
MAP

DISKJOTA
MAP

DISPLAY
LIS